ELSEVIER

Neuroscience Letters 296 (2000) 178–180

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 296

Ahn, Y.M., Oh, S.W., Kang, U.G., Park, J.-B., Kim, Y.S., An *N*-methyl-D-aspartate antagonist, MK-801, preferentially reduces electroconvulsive shock-induced phosphorylation of p38 mitogen-activated protein kinase in the rat hippocampus, 101
Akima, H., Ito, M., Yoshikawa, H., Fukunaga, T., Recruitment plasticity of neuromuscular compartments in exercised tibialis anterior using echo-planar magnetic resonance imaging in humans, 133
Akins, C.K., see Levens, N., 77
Anken, R.H., see Ibsch, M., 13
Arai, K., Kato, N., Kashiwado, K.-i., Hattori, T., Pure autonomic failure in association with human α-synucleinopathy, 171
Arinami, T., see Sakurai, K., 168
Ashraf, Q.M., see Zanelli, S.A., 5
Atkinson, B.A., see Wong, S.T., 65

Bakondi, B., see Guénette, S.Y., 17
Ballerini, C., Campani, D., Rombolà, G., Gran, B., Nacmias, B., Pia Amato, M., Siracusa, G., Bartolozzi, L., Sorbi, S., Massacesi, L., , 174
Bardo, M.T., see Levens, N., 77
Bartolozzi, L., see Ballerini, C., 174
Behl, C., see Goodenough, S., 49
Berger, M.L., Tryptamine derivatives as non-competitive *N*-methyl-D-aspartate receptor blockers: studies using [^{3}H]MK-801 binding in rat hippocampal membranes, 29
Bertram, L., see Guénette, S.Y., 17
Bing, G., see Feng, Z., 129
Blacker, D., see Guénette, S.Y., 17
Bou-Flores, C., Hilaire, G., 5-Hydroxytryptamine$_{2A}$ and 5-hydroxytryptamine$_{1B}$ receptors are differently affected by the monoamine oxidase A-deficiency in the Tg8 transgenic mouse, 141
Braida, D., Pozzi, M., Sala, M., CP 55,940 protects against ischemia-induced electroencephalographic flattening and hyperlocomotion in Mongolian gerbils, 69

Cairns, N., see Gulesserian, T., 53
Campani, D., see Ballerini, C., 174
Castro-Lopes, J.M., see Neto, F.L., 25
Chizh, B.A., Schlütz, H., Scheede, M., Englberger, W., The *N*-methyl-D-aspartate antagonistic and opioid components of *d*-methadone antinociception in the rat spinal cord, 117
Choi, H.Y., Song, J.H., Park, D.K., Ross, G.M., The effects of ascorbic acid on dopamine-induced death of PC12 cells are dependent on exposure kinetics, 81
Coltz, J.D., Johnson, M.T.V., Ebner, T.J., Population code for tracking velocity based on cerebellar Purkinje cell simple spike firing in monkeys, 1
Conrad, B., see Peinemann, A., 21
Crystal, A., see Guénette, S.Y., 17

Degtyarenko, A.M., Kaufman, M.P., Stimulation of the mesencephalic locomotor region inhibits the discharge of neurons in the superficial laminae of the dorsal horn of cats, 109
Delivoria-Papadopoulos, M., see Zanelli, S.A., 5

Ebner, T.J., see Coltz, J.D., 1
Engert, S., see Goodenough, S., 49
Engidawork, E., see Gulesserian, T., 53
Englberger, W., see Chizh, B.A., 117

Feng, Z., Hong, J.-S., Qi, Q., Han, Y., Wilson, B., Iadarola, M., Tiao, N., Bing, G., Cloning and expression of *MP13* gene from rat hippocampus, a new factor related to guanosine triphosphate regulation, 129
Forger, N.G., see Peroulakis, M.E., 73
Fukunaga, T., see Akima, H., 133
Furuya, N., see Hirate, K., 158

Gerber, J., see Wellmer, A., 137
Gilad, G.M., Gilad, V.H., Accelerated functional recovery and neuroprotection by agmatine after spinal cord ischemia in rats, 97
Gilad, V.H., see Gilad, G.M., 97
Goodenough, S., Engert, S., Behl, C., Testosterone stimulates rapid secretory amyloid precursor protein release from rat hypothalamic cells via the activation of the mitogen-activated protein kinase pathway, 49
Gran, B., see Ballerini, C., 174
Green, T.A., see Levens, N., 77
Guénette, S.Y., Bertram, L., Crystal, A., Bakondi, B., Hyman, B.T., Rebeck, G.W., Tanzi, R.E., Blacker, D., Evidence against association of the FE65 gene (APBB1) intron 13 polymorphism in Alzheimer's patients, 17
Gulesserian, T., Engidawork, E., Cairns, N., Lubec, G., Increased protein levels of serotonin transporter in frontal cortex of patients with Down syndrome, 53

Haddrill, J.L., see Nevin, S.T., 163
Han, Y., see Feng, Z., 129
Hansen, A.J., see Larsson, K.P., 121
Hattori, T., see Arai, K., 171
Hilaire, G., see Bou-Flores, C., 141
Hirate, K., Kitayama, A., Furuya, N., Roles of glutamate receptor subtypes in the development of vestibular compensation after unilateral labyrinthectomy in the guinea pig, 158
Hisaki, H., see Nakane, M., 89
Hong, J.-S., see Feng, Z., 129
Hyman, B.T., see Guénette, S.Y., 17

Iadarola, M., see Feng, Z., 129
Ibsch, M., Anken, R.H., Rahmann, H., Weightlessness during spaceflight

PII: S0304-3940(00)01682-7

results in enhanced synapse formation in a fish brain vestibular nucleus, 13
Ikeda, K., see Yamagata, K., 113
Inui, T., see Okada, T., 33
Ito, M., see Akima, H., 133

Jackson, S., see Turner, D., 45
Johnson, M.T.V., see Coltz, J.D., 1

Kang, J.H., see Kim, B.S., 153
Kang, J.S., see Kim, B.S., 153
Kang, U.G., see Ahn, Y.M., 101
Kashiwado, K.-i., see Arai, K., 171
Kato, N., see Arai, K., 171
Kaufman, M.P., see Degtyarenko, A.M., 109
Kaur, C., see Luo, Y., 145
Kenyon, J.L., The reversal potential of Ca^{2+}-activated Cl^- currents indicates that chick sensory neurons accumulate intracellular Cl^-, 9
Kim, B.S., Koh, H.C., Kang, J.S., Lee, H., Shin, I.C., Om, S.A., Kang, J.H., Mediation of the cardiovascular response to spinal γ-aminobutyric $acid_B$ receptor stimulation by adenosine A_1 receptors in anesthetized rats, 153
Kim, Y.S., see Ahn, Y.M., 101
Kitayama, A., see Hirate, K., 158
Koh, H.C., see Kim, B.S., 153
Konishi, J., see Okada, T., 33
Kubota, M., see Nakane, M., 89
Kubota, S., see Obata, T., 41
Kupsch, A., see Meissner, W., 149

Larsson, K.P., Olsen, U.B., Hansen, A.J., Nociceptin is a potent inhibitor of N-type Ca^{2+} channels in rat sympathetic ganglion neurons, 121
Lee, H., see Kim, B.S., 153
Lehner, C., see Peinemann, A., 21
Levens, N., Green, T.A., Akins, C.K., Bardo, M.T., Dopamine D_2-like receptor binding in the brain of male Japanese quail (*Coturnix japonica*), 77
Ling, E.A., see Luo, Y., 145
Lubec, G., see Gulesserian, T., 53
Luo, Y., Kaur, C., Ling, E.A., Hypobaric hypoxia induces Fos and neuronal nitric oxide synthase expression in the paraventricular and supraoptic nucleus in rats, 145
Lynch, J.W., see Nevin, S.T., 163

Maddison, J., see Tyrer, N.M., 93
Massacesi, L., see Ballerini, C., 174
Meissner, W., Paul, G., Reum, T., Reese, R., Sohr, R., Morgenstern, R., Kupsch, A., The influence of pallidal deep brain stimulation on striatal dopaminergic metabolism in the rat, 149
Mentschel, C., see Peinemann, A., 21
Mishra, O.P., see Zanelli, S.A., 5
Montoya, D., Swartzwelder, H.S., Prenatal choline supplementation alters hippocampal *N*-methyl-D-aspartate receptor-mediated neurotransmission in adulthood of rats, 85
Morgenstern, R., see Meissner, W., 149
Münchau, A., see Peinemann, A., 21
Munzel, U., see Wellmer, A., 137

Nacmias, B., see Ballerini, C., 174
Nakagomi, T., see Nakane, M., 89
Nakai, T., see Okada, T., 33
Nakane, M., Kubota, M., Nakagomi, T., Tamura, A., Hisaki, H., Shimasaki, H., Ueta, N., Lethal forebrain ischemia stimulates sphingomyelin hydrolysis and ceramide generation in the gerbil hippocampus, 89
Nara, Y., see Yamagata, K., 113
Nau, R., see Wellmer, A., 137
Neto, F.L., Castro-Lopes, J.M., Antinociceptive effect of a group II metabotropic glutamate receptor antagonist in the thalamus of monoarthritic rats, 25
Nevin, S.T., Haddrill, J.L., Lynch, J.W., A pore-lining glutamic acid in the rat olfactory cyclic nucleotide-gated channel controls external spermine block, 163
Nishizawa, S., see Okada, T., 33
Nitsche, M.A., see Rosenkranz, K., 61
Noeske, C., see Wellmer, A., 137
Noguchi, T., see Yamagata, K., 113

Obata, T., Kubota, S., Formation of hydroxy radicals by environmental estrogen-like chemicals in rat striatum, 41
Obata, T., Yamanaka, Y., Evidence for existence of immobilization stress-inducible semicarbazide-sensitive amine oxidase inhibitor in rat brain cytosol, 58
O'Brien, P.J., see Siraki, A.G., 37
Oh, S.W., see Ahn, Y.M., 101
Okada, T., Tanaka, S., Nakai, T., Nishizawa, S., Inui, T., Sadato, N., Yonekura, Y., Konishi, J., Naming of animals and tools: a functional magnetic resonance imaging study of categorical differences in the human brain areas commonly used for naming visually presented objects, 33
Olsen, U.B., see Larsson, K.P., 121
Om, S.A., see Kim, B.S., 153

Park, D.K., see Choi, H.Y., 81
Park, J.-B., see Ahn, Y.M., 101
Paul, G., see Meissner, W., 149
Paulus, W., see Rosenkranz, K., 61
Peinemann, A., Lehner, C., Mentschel, C., Münchau, A., Conrad, B., Siebner, H.R., Subthreshold 5-Hz repetitive transcranial magnetic stimulation of the human primary motor cortex reduces intracortical paired-pulse inhibition, 21
Peroulakis, M.E., Forger, N.G., Ciliary neurotrophic factor increases muscle fiber number in the developing levator ani muscle of female rats, 73
Pia Amato, M., see Ballerini, C., 174
Pozzi, M., see Braida, D., 69

Qi, Q., see Feng, Z., 129
Que, M., Witte, O.W., Zilles, K., Transient up-regulation of γ-aminobutyric $acid_A$ receptor binding by lubeluzole after neocortical specify lesion in rats, 125

Rahmann, H., see Ibsch, M., 13
Rebeck, G.W., see Guénette, S.Y., 17
Reese, R., see Meissner, W., 149
Reum, T., see Meissner, W., 149
Rombolà, G., see Ballerini, C., 174
Rosenkranz, K., Nitsche, M.A., Tergau, F., Paulus, W., Diminution of training-induced transient motor cortex plasticity by weak transcranial direct current stimulation in the human, 61
Ross, G.M., see Choi, H.Y., 81

Sadato, N., see Okada, T., 33

Sakurai, K., Toru, M., Yamakawa-Kobayashi, K., Arinami, T., Mutation analysis of the *N*-methyl-D-aspartate receptor NR1 subunit gene (GRIN1) in schizophrenia, 168
Sala, M., see Braida, D., 69
Scheede, M., see Chizh, B.A., 117
Schlütz, H., see Chizh, B.A., 117
Shepherd, D., see Tyrer, N.M., 93
Shimasaki, H., see Nakane, M., 89
Shin, I.C., see Kim, B.S., 153
Siebner, H.R., see Peinemann, A., 21
Siracusa, G., see Ballerini, C., 174
Siraki, A.G., Smythies, J., O'Brien, P.J., Superoxide radical scavenging and attenuation of hypoxia-reoxygenation injury by neurotransmitter ferric complexes in isolated rat hepatocytes, 37
Smythies, J., see Siraki, A.G., 37
Sohr, R., see Meissner, W., 149
Song, J.H., see Choi, H.Y., 81
Sorbi, S., see Ballerini, C., 174
Sumners, P., see Turner, D., 45
Swartzwelder, H.S., see Montoya, D., 85

Tagami, M., see Yamagata, K., 113
Tamura, A., see Nakane, M., 89
Tanaka, S., see Okada, T., 33
Tanzi, R.E., see Guénette, S.Y., 17
Tergau, F., see Rosenkranz, K., 61
Tiao, N., see Feng, Z., 129
Toru, M., see Sakurai, K., 168
Turner, D., Sumners, P., Jackson, S., Changes in electromyogram during upper limb muscle contraction induced by resistive loaded breathing in humans, 45
Tyrer, N.M., Maddison, J., Shepherd, D., Williams, D.W., Confocal quality imaging of afferent neurons from semi-thin sections of *Drosophila* ganglia, 93

Ueta, N., see Nakane, M., 89

Weaver, L.C., see Wong, S.T., 65
Wellmer, A., Noeske, C., Gerber, J., Munzel, U., Nau, R., Spatial memory and learning deficits after experimental pneumococcal meningitis in mice, 137
Williams, D.W., see Tyrer, N.M., 93
Wilson, B., see Feng, Z., 129
Witte, O.W., see Que, M., 125
Wong, S.T., Atkinson, B.A., Weaver, L.C., Confocal microscopic analysis reveals sprouting of primary afferent fibres in rat dorsal horn after spinal cord injury, 65

Yamagata, K., Tagami, M., Ikeda, K., Noguchi, T., Yamori, Y., Nara, Y., Reduced production of lactate during hypoxia and reoxygenation in astrocytes isolated from stroke-prone spontaneously hypertensive rats, 113
Yamakawa-Kobayashi, K., see Sakurai, K., 168
Yamanaka, Y., see Obata, T., 58
Yamori, Y., see Yamagata, K., 113
Yonekura, Y., see Okada, T., 33
Yoshikawa, H., see Akima, H., 133

Zanelli, S.A., Ashraf, Q.M., Delivoria-Papadopoulos, M., Mishra, O.P., Peroxynitrite-induced modification of the *N*-methyl-D-aspartate receptor in the cerebral cortex of the guinea pig fetus at term, 5
Zhao, H.-B., Directional rectification of gap junctional voltage gating between Dieters cells in the inner ear of guinea pig, 105
Zilles, K., see Que, M., 125